

indicatorHTML

bubble

.mk-pullfresh-bubble

Indicator of refresh


Text of puller element. Text of puller
element. Text of puller element. Text of
puller element. Text of puller element.
Text of puller element. Text of puller
element. Text of puller element. Text of
puller element. Text of puller element.
Text of puller element. Text of puller
element. Text of puller element. Text of
puller element. Text of puller element.

puller

[data-mkpf-state=idle]

~~Indicator of refresh~~

Text of puller element. Text of puller
element. Text of puller element. Text of
puller element. Text of puller element.
Text of puller element. Text of puller
element. Text of puller element. Text of
puller element. Text of puller element.
Text of puller element. Text of puller
element. Text of puller element. Text of

A large, stylized black hand cursor icon is positioned over the left side of the text, with its index finger pointing towards the middle of the paragraph. The icon has thick black outlines and no internal details, giving it a simple, graphic appearance. It overlaps with several lines of the repeating text.

[data-mkpf-state=active]

ready to refresh

Text of puller element. Text of puller
element. Text of puller element. Text of
puller element. Text of puller element.
Text of puller element. Text of puller
element. Text of puller element. Text of
puller element. Text of puller element.

Text of puller element. Text of puller
element. Text of puller element. Text of
puller element. Text of puller element.
Text of puller element. Text of puller
element. Text of puller element.

[data-mkpf-state=ready]

pending...

Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element.

Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element. Text of puller element.

[data-mkpf-state=pending]